
Catalogue of the Neotropical Anthocoridae (Heteroptera)

CARPINTERO, Diego Leonardo

Departamento Científico de Entomología, Museo de La Plata, Paseo del Bosque.
1900 La Plata, Argentina; e-mail dcarpint@museo.fcnym.unlp.edu.ar

■ **ABSTRACT.** A list of the 130 known species of Anthocoridae to occur in the Neotropics is presented. They are arranged in three subfamilies, seven tribes, and 36 genera. Distributional data and bibliographical references of each taxon are also included. Two genera restore generic level; there are 13 new combinations, two genera and seven species synonymized and 11 lectotypes were designed.

KEY WORDS. Catalogue. Neotropical Anthocoridae.

■ **RESUMEN. Catálogo de las Anthocoridae Neotropicales (Heteroptera).** Se ofrece una lista de las 130 especies conocidas de la Región Neotropical de Anthocoridae, que se incluyen en las tres subfamilias hoy aceptadas, en siete tribus y 36 géneros, que se encuentran presentes en esta región, se da la distribución y referencias bibliográficas para cada taxón mencionado. Dos subgéneros recuperan el nivel genérico; hay 13 nuevas combinaciones, dos géneros y siete especies como nuevas sinonimias y se designan 11 lectotipos.

PALABRAS CLAVE. Catálogo. Anthocoridae neotropicales.

INTRODUCTION

The family Anthocoridae Fieber, 1836, erroneously mentioned by some authors (Blatchley, 1926; Froeschner, 1981 and 1985) as Amyot & Serville, 1843, includes the subfamilies Lasiochilinae Carayon, 1972a, Lyctocorinae Reuter, 1884 and Anthocorinae Fieber, 1836.

A complete list of the Neotropical Anthocoridae is lacking. Stål (1873) presented the first list for the extraeuropean Anthocoridae, including nine species arranged in eight genera. Reuter (1884) redescribed all the known, and several new taxa of this family. This pioneer work, which includes 39 Neotropical species in 13 genera, being the most complete reference for heteropterists for a long time. Champion (1900) made the last comprehensive study of the Mesoamerican fauna, listing 19 genera and 54 species. After it, only partial studies concerning Neotropical "pirate bugs" were published by Pennington (1921) for Argentina, da Costa Lima (1940) for Brazil, Ruffinelli & Piran (1959) for Uruguay, Froeschner

(1981) for Ecuador, Froeschner (1985) for Galapagos and Carpintero *et al.*, (1996) for Nicaragua. The purpose of this contribution is to provide a complete enumeration of all known species of Anthocoridae from the Neotropics.

The structure of the "Catalogue of the Heteroptera of the Palaearctic Region" (Aukema & Rieger, 1995) is used here. Valid names of genera and subgenera are given with author and date in bold, centred headings. Under the heading the valid name and the synonyms are given in chronological order with a reference, information on original rank, availability, homonymies, and synonymization, or changes of rank. The type species is always mentioned. Valid names of species are cited as bold, left margined headings. Under the heading, valid name and synonyms are given in chronological order, with reference, information on availability, homonymy, and synonymization or change of rank. Information on type material is given as complete as possible, v.g. Category: sex, type-locality, repository. The categories of types are given as follows: HT for holotype, LT for lec-

totype, and STS for syntypes. Names of countries in type-localities are abbreviated as under distribution. The abbreviations together with full data on the repositories are listed below. Distributional information (Dist.) is given for each species represented in the Neotropical Region. Names of countries are abbreviated with a unique two letter code as listed below. New records are not indicated as must (nearly 75%) of the distributional information is new. Under references (Ref.) the complete bibliography of each neotropical taxon is given, as well as the most important bibliography for Anthocoridae from other regions.

Taxonomical Changes proposed here

Restored generic level: *Dilasia* Reuter, 1871b and *Dasypterus* Reuter, 1871b.

New combinations (N. COMB.): *Anthocoris obsoletus* (Blanchard, 1853). *Cardiastethus elegans* (Blanchard, 1853); *Cardiastethus testaceus* (Blanchard, 1853); *Dasypterus discifer* (Stål, 1860); *Dasypterus ophthalmicus* (Reuter, 1884); *Dilasia ashlocki* (Herring, 1966a); *Dilasia basalis* (Reuter, 1884); *Dilasia foveicollis* (Champion, 1900); *Dilasia reuteri* (Champion, 1900); *Dilasia unicolor* (Reuter, 1884); *Eusolenophora divisa* (Champion, 1900); *Lasiocolpus rostralis* (Poppius, 1909); *Plochiocoris pilosus* (Reuter, 1908).

New synonymies (N. SYN.). Genera: *Dolichella* Reuter, 1908 (= *Plochiocoris* Champion, 1900); *Whiteiella* Poppius, 1909 (= *Lasiocolpus* Reuter, 1884). **Species:** *Anthocoris parvulus* Blanchard, 1853 (= *Orius insidiosus* (Say, 1832)); *Lasiochilus comitalis* Drake & Harris, 1926 (= *Dilasia fuscula* Reuter, 1871b); *Lasiochilus fraternus* Uhler, 1894 (= *Alofa sodalis* (Buchanan-White, 1879)); *Lasiochilus gerhardi* Blatchley, 1926 (= *Lasiochilus mirificus* Drake & Harris, 1926); *Orius reedi* (Buchanan-White, 1879) (= *Orius brevicollis* (Blanchard, 1853)); *Plochiocoris comptulus* Drake & Harris, 1926 (= *Plochiocoris longicornis* Champion, 1900); *Poronotus bicolor* Poppius, 1909 (= *Alofa sodalis* (Buchanan-White, 1879)).

Lectotypes (HEREIN DESIGNED): *Dilasia reuteri* (Champion, 1900); *EuLasiocolpus megalops* Champion, 1900; *Eusolenophora divisa* (Champion, 1900); *Lasiochilus pallidulus* Reuter, 1871b; *Lasiochilus punctipennis* Champion, 1900; *Lasiocolpoides ciliatus* Champion, 1900; *Lasiocolpus elegans* Reuter, 1884; *Lasiocolpus*

minor Champion, 1900; *Lasiocolpus unicolor* Poppius, 1909; *Plochiocoris longicornis* Champion, 1900; *Plochiocoris pilosus* (Reuter, 1908).

Abbreviations of Repositories.

BMNH Natural History Museum, London, Great Britain.

CASC California Academy of Sciences, San Francisco, California, United States of America.

CNCI Canadian National Collection of Insects, Ottawa, Canada.

CUTC Cornell University Type Collection, Ithaca, New York, United States of America.

HNHM Hungarian Natural History Museum, Budapest, Hungary.

ISNB Institut Royal des Sciences Naturelles de Belgique, Brussels, Belgium.

MCSN Museo Civico di Storia Naturale "Giacomino Doria", Genoa, Italy.

MNHN Muséum National d'Histoire Naturelle, Paris, France.

MZHF Zoological Museum, University of Helsinki, Finland.

NHMW Naturhistorisches Museum Wien, Austria.

NHRS Naturhistoriska Riksmuseet, Stockholm, Sweden.

PMAG Perth Museum and Art Gallery, Perth, Great Britain.

PUNI Purdue University, Western Lafayette, Indiana, United States of America.

USNM United States National Museum of Natural History, Washington, D. C., United States of America.

ZMHB Zoologisches Museum, Humboldt Universität, Berlin, Germany.

ZMUC Zoological Museum, University of Copenhagen, Denmark.

Distributional Abbreviations

CA: Central America (including all Mexico); **CI:** Caribbean Islands; **PC:** Pacific Islands; **SA:** South America.

AR: Argentina (Provinces): **bue:** Buenos Aires; **cat:** Catamarca; **cba:** Córdoba; **cha:** Chaco; **chu:** Chubut; **cor:** Corrientes; **ent:** Entre Ríos; **for:** Formosa; **juj:** Jujuy; **lap:** La Pampa; **lar:** La Rioja; **mis:** Misiones; **mza:** Mendoza; **neu:** Neuquén; **rio:** Río

Negro; sal: Salta; scr: Santa Cruz; sfe: Santa Fe; slu: San Luis; sju: San Juan; sde: Santiago del Estero; tdf: Tierra del Fuego; tuc: Tucumán.

BA: Bahamas; BZ: Belize; BO: Bolivia; BR: Brazil; CB: Cuba; CC: Coco I.(CR).

CH: Chile (Regions): I: Tarapacá; II: Antofagasta; III: Atacama; IV: Coquimbo; V: Valparaíso (and Santiago); VI: O'Higgins; VII: Maule; VIII: Bio-bío; IX: Araucanía; X: Los Lagos; XI: Aisén; XII: Magallanes.

CO: Colombia; CR: Costa Rica; CY: Cayman Is.(United Kingdom); DM: Dominica; DR: Dominican Republic; EC: Ecuador; ES: El Salvador; GA: Galápagos Is. (EC); GD: Guadalupe I. (France); GF: Guiana (France); GI: Grenadines Is. (SV); GN: Grenada; GT: Guatemala; GY: Guyana; HA: Haití; HD: Honduras; JF: Juan Fernández Is. (CH); JM: Jamaica; MX: Mexico; NA: Dutch Antilles; NC: Nicaragua; PA: Paraguay; PE: Perú; PN: Panamá; PR: Puerto Rico; RN: Rapa Nui (or Eastern) Is. (CH); SR: Suriname; SV: St. Vincent; TT: Trinidad and Tobago.

UR: Uruguay (Departments): art: Artigas; can: Canelones; cer: Cerro Largo; col: Colonia; dur: Durazno; fli: Florida; flo: Flores; lav: Lavalleja; mal: Maldonado; mvi: Montevideo; pdu: Paysandú; rin: Río Negro; riv: Rivera; roc: Rocha; sjo: San José; sor: Soriano; sto: Salto; tbo: Tacuarembó; tre: Treinta y Tres.

VG: Virgin Is. (USA and UK); VN: Venezuela.

RESULTS

Family ANTHOCORIDAE Fieber, 1836

ANTHOCORIDAE Fieber, 1836:106 (Anthocoridae). Type genus *Anthocoris* Fallén, 1814.

Ref.: Stål, 1860 (list); Reuter, 1884 (monogr.); Champion, 1900 (key, descr.); Ruffinelli & Pirán, 1959 (cat.); Carayon, 1972a (descr.); Péricart, 1972 (monog.); Kelton, 1978 (key, descr.); Froeschner, 1981 (cat.).

Subfamily LASIOCHILINAE Carayon, 1972a

LASIOCHILINAE Carayon, 1972a:334. Type genus: *Lasiochilus* Reuter, 1871b.

Ref.: Herring, 1976 (key); Kelton, 1978 (descr.); Froeschner, 1981 (cat.); 1985 (cat.);

Schuh, 1986 (new status); Henry, 1988 (cat.); Schuh & Stys, 1991 (descr.).

Genus *Dilasia* Reuter, 1871b

Dilasia Reuter, 1871b: 563. (Reuter, 1884: 575, as subgenus of *Lasiochilus*). Type species by monotypy: *Dilasia fuscula* Reuter, 1871b.

Dilasia ashlocki (Herring, 1966a) (N. COMB.).
Lasiochilus ashlocki Herring, 1966a: 128. HT: male, CC, Chatham Bay. CASC.

Dist. PC: CC.

Dilasia basalis (Reuter, 1884) (N. COMB.).
Lasiochilus basalis Reuter, 1884: 570. HT: female, VN, LaGuayra. MNHN.

Dist. CA: MX. **CI:** GN. **SA:** VN.

Ref.: Uhler, 1894 (rec.).

Dilasia colludens (Buchanan-White, 1879)
Cardiastethus colludens Buchanan-White, 1879: 142. (transferred to *Lasiochilus (Dilasia)*, Reuter, 1884: 575). HT: female. BR. PMAG.

Dist. SA: AR(sal, sfe), BR.

Dilasia foveicollis (Champion, 1900) (N. COMB.).
Lasiochilus foveicollis Champion, 1900: 309. HT: male, PN, David. BMNH.

Dist. CA: CR, NC, PN. **CI:** GN, JM, SV.

Ref.: Carpintero *et al.*, 1996 (cat.).

Dilasia fuscula Reuter, 1871b
Dilasia fuscula Reuter, 1871b: 563 (transferred to *Lasiochilus* Reuter, 1884: 577). HT: female, United States, Texas. MZHF.

Lasiochilus comitalis Drake & Harris, 1926: 34. (**N. SYN.**). HT: male. United States, North Carolina. USNM.

Dist. CA: MX. **CI:** GN(?).

Ref.: Stål, 1873 (list); Uhler, 1894 (rec.); Van Duzee, 1916 (list); 1917 (cat.); Blatchley, 1926 (descr.); Drake & Harris, 1926 (rec.); Kelton, 1978 (descr.); Henry, 1988 (cat.).

Dilasia reuteri (Champion, 1900) (N. COMB.).
Lasiochilus reuteri Champion, 1900: 308. LT: female, GT, El Zumbador. BMNH (**HEREIN DESIGNATED**).

Dist. CA: GT, HD, PN.

Dilasia unicolor (Reuter, 1884) (N. COMB.).

Lasiochilus unicolor Reuter, 1884: 573. HT: female. VN, La Guayra. MNHN.

Dist. CA: PN. **CI:** CB, DR, TT. **SA:** VN.

Genus *Eusolenophora* Poppius, 1909

Eusolenophora Poppius, 1909: 24. Type species by monotypy: *Eusolenophora testacea* Poppius, 1909.

Eusolenophora divisa (Champion, 1900) (N. COMB.).

Lasiochilus divisus Champion, 1900: 310. LT: female, MX, Teapa, Tabasco. BMNH (**HEREIN DESIGNATED**).

Dist. CA: GT, HD, MX, PN. **CI:** GN, JM, PR, TT.

Ref.: Drake & Harris, 1926 (rec.); Henry, 1988 (cat.).

Eusolenophora testacea Poppius, 1909

Eusolenophora testacea Poppius, 1909: 25. HT: female. PA, Pto. 14 de Mayo. MCSN.

Dist. SA: AR(bue, juj, mis, sal), BO, PA.

Genus *Lasiochilus* Reuter, 1871b

Lasiochilus Reuter, 1871b: 562. Type species by monotypy: *Lasiochilus pallidulus* Reuter, 1871b.

Ref.: Stål, 1873 (cat.); Reuter, 1884 (descr.); Uhler, 1894 (list); Champion, 1900 (key, descr.); Van Duzee, 1916 (list); Blatchley, 1926 (key, descr.); Drake & Harris, 1926 (list); Herring, 1976 (key); Kelton, 1978 (key, descr.); Henry, 1988 (cat.).

Lasiochilus galateae Reuter, 1884

Lasiochilus galateae Reuter, 1884: 16. STS. BR, Rio Janeiro; Bahia. PMAG.

Dist. SA: AR(mis), BR, EC, PE.

Ref.: Poppius, 1909 (list).

Lasiochilus hirtellus Drake & Harris, 1926

Lasiochilus hirtellus Drake & Harris, 1926: 33. HT: male. United States, Alabama. USNM.

Dist. CA: MX. **CI:** CB, HA.

Ref.: Henry, 1988 (cat.).

Lasiochilus microps Champion, 1900

Lasiochilus microps Champion, 1900: 308. HT: female. GT, Cerro Zunil. BMNH.

Dist. CA: CR, GT, HD, MX. **CI:** GD. **SA:** CO, GY.

Ref.: Poppius, 1909 (list).

Lasiochilus mirificus Drake & Harris, 1926

Lasiochilus mirificus Drake & Harris, 1926: 35. HT: female.

United States, Texas. USNM.

Lasiochilus gerhardi Blatchley, 1926: 627 (**N. SYN.**). STS. United States, Florida. PUNI.

Dist. CA: NC. **CI:** GI, GN.

Ref.: Henry, 1988 (cat.).

Lasiochilus pallidulus Reuter, 1871b

Lasiochilus pallidulus Reuter, 1871b: 562. LT: female. United States, Texas. MZHF (**HEREIN DESIGNATED**).

Dist. CA: BZ, GT, MX, NC, PN. **CI:** CB, GD, GN, PR, SV, VG. **PC:** CC, GA. **SA:** AR(bue, cha, cor, ent, mis, sal, sde), BO, BR, EC, GY, PA, PE, VN.

Ref.: Stål, 1873 (list); Reuter, 1884 (descr.); Uhler, 1894 (rec.); Champion, 1900 (descr.); Van Duzee, 1916 (list); 1917 (cat.); Blatchley, 1926 (descr.); Herring, 1966a (rec.); Froeschner, 1981 (cat.); 1985 (cat.); Henry, 1988 (cat.); Carpintero *et al.*, 1996 (cat.).

Lasiochilus punctipennis Champion, 1900

Lasiochilus punctipennis Champion, 1900: 308. LT: male. PN, Vn. de Chiriqui. BMNH (**HEREIN DESIGNATED**).

Dist. CA: GT, MX, NC, PN. **SA:** VN.

Lasiochilus sulcatus Champion, 1900

Lasiochilus sulcatus Champion, 1900: 310. HT: female. PN, David. BMNH.

Dist. CA: PN. **SA:** VN.

Lasiochilus sulcicollis Reuter, 1884

Lasiochilus sulcicollis Reuter, 1884: 574. HT: female. BR, Rio Janeiro. ISNB.

Dist. SA: BR, VN.

Lasiochilus varicolor Uhler, 1894

Lasiochilus variabilis Uhler, 1894: 167. (error for *varicolor*).

Lasiochilus varicolor Uhler, 1894: 198. STS. GN, Balthazar, Chantilly, Mt. Gay and Grand Etang. BMNH.

Dist. CA: HD, NC. **CI:** GD, GI, GN, JM, SV, TT. **SA:** CO.

Ref.: Poppius, 1909 (rec.); Carpintero *et al.*, 1996 (cat.).

Genus *Lasiocolpus* Reuter, 1884

Lasiocolpus Reuter, 1884: 582. Type species by

- subsequent designation (Kirkaldy, 1906: 120) *Lasiocolpus sinuaticollis* Reuter, 1884.
- Whiteiella* Poppius, 1909: 14. Type species by monotypy *Whiteiella rostralis* Poppius, 1909 (**N. SYN.**).
- Ref.:** Champion, 1900 (key, descr.); Drake & Harris, 1926 (list).
- Lasiocolpus biguttatus*** Poppius, 1909
Lasiocolpus biguttatus Poppius, 1909: 10. HT: male. BR, Sta. Catarina. ZMHB.
Dist. SA: BR.
- Lasiocolpus elegans*** Reuter, 1884
Lasiocolpus elegans Reuter, 1884: 583. LT: female. CO. MZHF (**HEREIN DESIGNATED**).
Dist. SA: BO, CO.
- Lasiocolpus minor*** Champion, 1900
Lasiocolpus minor Champion, 1900: 312. LT: male. PN, Bugaba BMNH (**HEREIN DESIGNATED**).
Dist. CA: GT, NC, PN.
Ref.: Drake & Harris, 1926 (rec.).
- Lasiocolpus rostralis*** (Poppius, 1909) (N. COMB.)
Whiteiella rostralis Poppius, 1909: 14 STS. PA, Pto. 14 de Mayo. MCSN.
Dist. SA: AR (mis), BR, PA.
- Lasiocolpus sinuaticollis*** Reuter, 1884
Lasiocolpus sinuaticollis Reuter, 1884: 583. HT: female. MX, Vera Cruz. NHRS.
Dist. CA: GT, MX, NC, PN.
Ref.: Champion, 1900 (descr.).
- Lasiocolpus unicolor*** Poppius, 1909
Lasiocolpus unicolor Poppius, 1909: 10. LT: male. BO, Mapiri. HNHM (**HEREIN DESIGNATED**).
Dist. SA: BO, BR, PE.
- Genus ***Plochiocoris*** Champion, 1900
- Plochiocoris* Champion, 1900: 314. Type species by monotypy *Plochiocoris longicornis* Champion, 1900.
- Dolichiella* Reuter, 1908: 6 (**N. SYN.**). Type species by monotypy
Dolichiella pilosa Reuter, 1908.
Ref.: Herring, 1976a (key).
- Plochiocoris longicornis*** Champion, 1900
Plochiocoris longicornis Champion, 1900: 315.
- LT: male. PN, David in Chiriqui. BMNH (**HEREIN DESIGNATED**).
- Plochiocoris comptulus* Drake & Harris, 1926: 36 (**N. SYN.**). HT: male. United States, Texas. USNM.
Dist. CA: NC, PN. **CI:** GN. **SA:** AR(sfe, mis), BR.
Ref.: Henry, 1988 (cat.); Carpintero *et al.*, 1996 (cat.).
- Plochiocoris pilosus*** (Reuter, 1908) (N. COMB.)
Dolichiella pilosa Reuter, 1908: 7. LT: female. VN, La Moka. MZHF (**HEREIN DESIGNATED**).
Dist. SA: AR(mis), BR, VN.
- Subfamily **LYCTOCORINAE** Reuter, 1884
- LYCTOCORINAE Reuter, 1884: 559 (Lyctocoraria).
Type genus: *Lyctocoris* Hahn, 1836.
Ref.: Reuter, 1884 (descr.); Champion, 1900 (descr.); Carayon, 1972a (descr.); Péricart, 1972 (descr.); Herring, 1976 (key); Kelton, 1978 (descr.); Henry, 1988 (key); Schuh & Stys, 1991 (systematic position).
- Tribe **LYCTOCORINI** Reuter, 1884
- Genus ***Astemmocoris*** Carayon & Usinger, 1965
- Astemmocoris* Carayon & Usinger, 1965: 200.
Type species by monotypy *Astemmocoris cimicoides* Carayon & Usinger, 1965.
- Astemmocoris cimicoides*** Carayon & Usinger, 1965
Astemmocoris cimicoides Carayon & Usinger, 1965: 200. HT: female. PE, Monzon Valley, Tingo Maria. MNHN.
Dist. SA: CO, GF, PE.
- Genus ***Lyctocoris*** Hahn, 1836
- Lyctocoris* Hahn, 1836: 19. Type species by subsequent designation (Reuter, 1888: 409): *Cimex domesticus* (Schilling, 1834) (junior synonym of *Acanthia campestris* Fabricius, 1794).
Ref.: Reuter, 1884 (descr.); Champion, 1900 (descr.); Péricart, 1972 (descr.).
- Subgenus ***Lyctocoris*** Hahn, 1836
Lyctocoris campestris (Fabricius, 1794)
Acanthia campestris Fabricius, 1794: 75. LT (Péri-

cart, 1970: 745): female, Denmark, Sjaelland. ZMUC. (senior synonymy of *Cimex domesticus* Schilling, 1834) (Transferred to *Lyctocoris* by Hahn, 1836).

Dist. CA: MX. **PC:** JF. **SA:** AR (bue, cba, cha, neu, rio, sde, sfe, tuc), BR, CH (III, IV, VII), UR.

Ref.: Reuter, 1884 (descr.); Champion, 1900 (rec.); Poppius, 1909 (rec.); Van Duzee, 1917 (cat.); Bergroth, 1923 (rec.); Blatchley, 1926 (descr.); da Costa Lima, 1940 (rec.); Ruffinelli & Pirán, 1959 (rec.); Kelton, 1978 (descr.).

Lyctocoris latus Poppius, 1909

Lyctocoris latus Poppius, 1909: 7. STS. PE, Marcapata. MZHF.

Dist. SA: PE.

Lyctocoris mexicanus Kelton, 1966

Lyctocoris mexicanus Kelton, 1966: 320. HT: male. MX, Durango. CNCI.

Dist. CA: MX.

Ref.: Kelton, 1967 (rec.).

Subgenus **Metriosteles** Reuter, 1884

Metriosteles Reuter, 1884: 563. Type species by original designation: *Lyctocoris spanbergii* Reuter, 1884: 563.

Lyctocoris signoreti Reuter, 1884

Lyctocoris signoreti Reuter, 1884: 564. HT: male. VN, La Guayra. HNHM.

Dist. SA: VN.

Lyctocoris spanbergii Reuter, 1884

Lyctocoris spanbergii Reuter, 1884: 563. HT: male. VN, La Guayra. MNHN.

Dist. SA: VN.

Tribe **XYLOCORINI** Carayon, 1972a

XYLOCORINI Carayon, 1972a: 337. Type genus *Xylocoris* Dufour, 1831.

Ref.: Schuh & Stys, 1991 (systematic position).

Genus **Xylocoris** Dufour, 1831

Xylocoris Dufour, 1831: 423. Type species by monotypy: *Xylocoris rufipennis* Dufour, 1831 (junior synonym of *Lygaeus cursitans* Fallén, 1807) (Sweden).

Piezostethus Fieber, 1860: 265 (syn. Kirkaldy,

1906: 119). Type species by subsequent designation (Kirkaldy, 1906: 119): *Xylocoris rufipennis* Dufour, 1831.

Ref.: Champion, 1900 (descr.); Carayon, 1972b (descr.); Péricart, 1972 (descr.); Kelton, 1978 (descr.).

Subgenus **Arrostelus** Kirkaldy, 1906

Arrostelus Reuter, 1884: 590 (as subgenus of *Piezostethus*) (junior homonym of *Arrostelus* Fahreus, 1872, Coleoptera). Type species by monotypy: *Piezostethus flavipes* Reuter, 1884.

Arrostelus Kirkaldy, 1906: 119. New name for *Arrostelus* Reuter.

Xylocoris flavipes (Reuter, 1875)

Piezostethus flavipes Reuter, 1875: 65. LT (Péricart, 1970: 746, as Type): female. Algeria, Biskra. MNHN.

Dist. SA: AR (bue, ent, lap, sal, sde), BR, UR (mvi).

Ref.: Reuter, 1884 (descr.); Poppius, 1909 (rec.); Zacher, 1923 (note); Ruffinelli & Pirán, 1959 (rec.); Carayon, 1972b.

Subgenus **Proxylocoris** Carayon, 1972

Proxylocoris Carayon, 1972b: 594 (as subgenus of *Xylocoris*). Type species by original designation *Piezostethus afer* Reuter, 1884.

Xylocoris afer (Reuter, 1884)

Piezostethus afer Reuter, 1884: 593. LT (Péricart, 1970: 748): female. S. Africa, Damara. NHRS.

Dist. CA: NC. **CI:** CY. **SA:** AR(mis), BR, GY, PA, VN.

Ref.: Poppius, 1909 (rec.); Carayon, 1972b (descr.); Carpintero *et al.*, 1996 (cat.).

Xylocoris albonotatus (Champion, 1900)

Piezostethus albonotatus Champion, 1900: 316. STS. GT, El Tumbador; Las Mercedes; Pantaleon; Zapote. PN, Bugaba; Tolé. BMNH.

Dist. CA: GT, PN.

Ref.: Carayon, 1972b.

Xylocoris bimaculatus (Champion, 1900)

Piezostethus bimaculatus Champion, 1900: 316. STS. GT, Pantaleon. BMNH.

Dist. CA: GT.

Ref.: Carayon, 1972b.

Xylocoris cacti Carayon, 1972b

Xylocoris cacti Carayon, 1972b: 595. HT: female.

MX, 5 mi. SO Aguascalientes. USNM.

Dist. CA: MX.

Xylocoris sordidus (Reuter, 1871b)

Piezostethus sordidus Reuter, 1871b: 560. STS. United States,

Texas; BR. NHRS and NHMW.

Piezostethus binotatus Reuter, 1871b: 560 (syn. by Reuter, 1884: 564). STS. United States, Carolina meridionali. NHRS.

Piezostethus galactinus (sensu Champion, 1900).

Dist. CA: BZ, GT, MX, PN. **CI:** GD, GN, SV. **PC:** GA. **SA:** AR(bue, sde), BR.

Ref.: Stål, 1873 (cat.); Uhler, 1894 (rec.); Poppius, 1909 (rec.); Van Duzee, 1917 (cat.); Blatchley, 1926 (descr.); Herring, 1966a (cat.); Carayon, 1972b (descr.); Froeschner, 1985 (descr.).

Subgenus ***Xylocoris*** Dufour, 1831.

Xylocoris vicarius (Reuter, 1884)

Piezostethus vicarius Reuter, 1884: 600. STS. CO, Bogota; Am. septentrionalis. NHRS.

Dist. SA: CO.

Ref.: Van Duzee, 1917 (cat.); Blatchley, 1926 (descr.); Carayon, 1972b (descr.).

Tribe **DUFOURIELLINI**

Van Duzee, 1916

DUFOURIELLINI Van Duzee, 1916: 35 (part.). Type genus *Dufouriellus* Kirkaldy, 1906.

CARDIASTETHINI Carayon, 1972a: 338 (Syn. Stys, 1975: 161). Type genus: *Cardiastethus* Fieber, 1860.

Genus ***Alofa*** Herring, 1976

Alofa Herring, 1976: 150. Type species by monotypy: *Cardiastethus sodalis* Buchanan-White, 1879.

Alofa sodalis (Buchanan-White, 1879)

Cardiastethus sodalis Buchanan-White, 1879: 142. STS. United States, Hawaii. HNHM.

Lasiochilus fraternus Uhler, 1894: 199 (**N. SYN.**) STS. GN, Balthazar; Mt. Gay; St. George. BMNH.

Poronotus bicolor Poppius, 1909: 15 (**N. SYN.**) STS. EC, Guayaquil. NHMW; GD, ISNB.

Dist. CI: GD, GN. **PC:** GA, RN. **SA:** AR(bue, cha, for, sde), EC, PA.

Ref.: Reuter, 1884 (descr.); Herring, 1966a (cat.); Froeschner, 1981 (rec.); 1985 (rec.); Carpintero *et al.*, 1996 (cat.).

Genus ***Amphiareus*** Distant, 1904

Amphiareus Distant, 1904 (August): 220. Type species by original designation: *Xylocoris fulvescens* Walker, 1872 (= *Xylocoris constrictus* Stål, 1860).

Poronotus Reuter, 1871b: 561 (junior homonym of *Poronotus* Gill, 1861, Pisces). Type species by original designation (Kirkaldy, 1906: 120): *Xylocoris constrictus* Stål, 1860.

Poronotellus Kirkaldy, 1904 (November): 280 (syn. Herring, 1965: 203, with *Amphiareus*). New name for *Poronotus* Reuter.

Ref.: Péricart, 1972 (descr.).

Amphiareus constrictus (Stål, 1860)

Xylocoris constrictus Stål, 1860: 44. HT: male. BR, Rio Janeiro. NHRS.

Xylocoris fulvescens Walker, 1872: 160 (syn. Herring, 1965: 202). LT (Péricart, 1972: 269, as type): male. Sri Lanka. BMNH

Dist. CA: MX, NC. **PC:** GA. **SA:** AR (ent, mis), BR, PA.

Ref.: Stål, 1873 (cat.); Reuter, 1884 (descr.); Champion, 1900 (descr.); Poppius, 1909 (rec.); Blatchley, 1926 (descr.); Herring, 1965 (note); 1966a (rec.); Froeschner, 1981 (rec.); Carpintero *et al.*, 1996 (cat.).

Genus ***Buchananiella*** Reuter, 1884

Buchananiella Reuter, 1884: 681. Type species by subsequent designation (Kirkaldy, 1906: 121): *Cardiastethus continuus* Buchanan-White, 1879.

Ref.: Péricart, 1972 (descr.).

Buchananiella continua (Buchanan-White, 1879)

Cardiastethus continuus Buchanan-White, 1879: 142. STS. Madeira Is. MZHF.

Dist. SA: AR (bue, cba, cha, ent, for, rio), CH(IV, V, VII, IX).

Ref.: Reuter, 1884 (descr.).

Buchananiella devia Bergroth, 1923

Buchananiella devia Bergroth, 1923: 399. HT: male. JF, Masatierra. NHRS.

Dist. PC: JF.

Genus *Cardiastethus* Fieber, 1860

Cardiastethus Fieber, 1860: 266. Type species by subsequent designation (Kirkaldy, 1906: 121): *Cardiastethus luridellus* Fieber, 1860 (United States).

Ref.: Champion, 1900 (descr.); Carayon, 1972a (descr.); Péricart, 1972 (descr.); Kelton, 1978 (descr.); Froeschner, 1981 (rec.); 1985 (rec.).

Cardiastethus aequinoctialis Poppius, 1909

Cardiastethus aequinoctialis Poppius, 1909: 18. STS. EC, Duran. NHMW.

Dist. PC: GA. **SA:** AR(bue, cha, ent, mis), BO, BR, EC, PA.

Ref.: Froeschner, 1981 (rec.); 1985 (rec.).

Cardiastethus cubanus Poppius, 1913

Cardiastethus cubanus Poppius, 1913: 12. STS. CB, Havana. ISNB (lost).

Dist. CI: CB, CY.

Cardiastethus elegans (Blanchard, 1853) (N. COMB.).

Anthocoris elegans Blanchard, 1853: 140. STS. CH. MNHN.

Dist. SA: CH(VIII).

Ref.: Signoret, 1863 (desc.); Stål, 1873 (cat.); Reuter, 1884 (desc.).

Cardiastethus flavus Poppius, 1909

Cardiastethus flavus Poppius, 1909: 17. STS. GD. ISNB, HNHM.

Dist. CI: GD, GN, SV, TT.

Cardiastethus fraterculus Van Duzee, 1907

Cardiastethus fraterculus Van Duzee, 1907: 26. HT. JM, Mendeville. CASC.

Dist. CA: NC. **CI:** JM.

Cardiastethus rugicollis Champion, 1900

Cardiastethus rugicollis Champion, 1900: 331. STS. MX, Teapa in Tabasco; Antilles; SV; GN. BMNH.

Dist. CA: MX, NC. **CI:** CB, GN, SV.

Ref.: Carpintero *et al.*, 1996 (cat.).

Cardiastethus testaceus (Blanchard, 1853) (N. COMB.).

Xylocoris testaceus Blanchard, 1853: 138. STS. CH. MNHN.

Dist. SA: CH(IV).

Ref.: Signoret, 1863 (desc.); Stål, 1873 (cat.); Reuter, 1884 (desc.).

Cardiastethus tropicalis Champion, 1900

Cardiastethus tropicalis Champion, 1900: 331. STS. GT, El Tumbador; C° Zunil; San Gerónimo; Las Mercedes; PN, David. BMNH.

Dist. CA: GT, NC, MX, PN. **CI:** GN.

Ref.: Carpintero *et al.*, 1996 (cat.).

Cardiastethus uhleri China, 1963

Cardiastethus uhleri China, 1963: 715 (new name for *Cardiastethus elegans* Uhler, 1894: 201. STS. GN, Balthazar; Grand Etang; St. George; Mt. Gay. BMNH). (A homonymy of *Anthocoris elegans* Blanchard, 1853).

Dist. CA: PN. **CI:** GN, SV.

Genus *Dasypterus* Reuter, 1871b

Dasypterus Reuter, 1871b: 564. Type species by subsequent designation (Kirkaldy, 1906: 121): *Xylocoris limbatellus* Stål, 1860. (syn. with *Cardiastethus* by Reuter, 1884: 693).

Dasypterus assimilis Reuter, 1871b

Dasypterus assimilis Reuter, 1871b: 564. STS. United States, Texas; Carolina Meridionalis. MZHF.

Dist. CA: GT, NC, PN. **CI:** CY.

Ref.: Stål, 1873 (cat.); Reuter, 1884 (desc.); Champion, 1900 (desc.); Poppius, 1909 (rec.); Van Duzee, 1917 (cat.); Blatchley, 1926 (desc.); Carpintero *et al.*, 1996 (cat.).

Dasypterus discifer (Stål, 1860) (N. COMB.)

Xylocoris discifer Stål, 1860: 44. STS. BR. NHRS.

Dist. SA: AR(bue, cor, for, mis), BO, BR, PA, PE.

Ref.: Stål, 1873 (cat.); Reuter, 1884 (desc.); Poppius, 1909 (rec.).

Dasypterus limbatellus (Stål, 1860)

Xylocoris limbatellus Stål, 1860: 44. STS. BR. NHRS.

Dist. CA: GT, NC, PN. **PC:** GA. **SA:** AR(sal), BO, BR, PA.

Ref.: Stål, 1873 (cat.); Reuter, 1884 (desc.); Champion, 1900 (desc.); Poppius, 1909 (rec.); Herring, 1966a (desc.); Froeschner, 1981 (rec.).

Dasypterus ophthalmicus (Reuter, 1884) (N. COMB.)

Cardiastethus ophthalmicus Reuter, 1884: 692.

STS. CO. NHRS.

Dist. CA: NC. **SA:** CO.

Ref.: Poppius, 1909 (rec.); Carpintero *et al.*, 1996 (cat.).

Genus *Dolostethus* Henry & Herring, 1978

Dolostethus Henry & Herring, 1978: 521. Type species by monotypy: *Dolostethus pubescens* Henry & Herring, 1978.

Dolostethus pubescens Henry & Herring, 1978

Dolostethus pubescens Henry & Herring, 1978: 522. HT: male. PE, Pasco. CUTC.

Dist. SA: BR, PE.

Genus *Dufouriellus* Kirkaldy, 1906

Dufouriellus Kirkaldy, 1906: 121. Type species by monotypy: *Xylocoris ater* Dufour, 1833.

Ref.: Péricart, 1972 (desc.).

Dufouriellus ater (Dufour, 1833)

Xylocoris ater Dufour, 1833: 104. LT (Péricart, 1970: 748) (France, Southwest) MNHN.

Dist. SA: AR(bue), CH(V, VII).

Ref.: Reuter, 1884 (desc.); Van Duzee, 1917 (cat.); Blatchley, 1926 (desc.); Péricart, 1972 (desc.); Kelton, 1978 (desc.); Henry, 1988 (cat.); Péricart, 1996 (cat.).

Genus *Physopleurella* Reuter, 1884

Physopleurella Reuter, 1884: 678. Type species by monotypy: *Cardiastethus mundulus* Buchanan-White, 1879 (Hawaii).

Ref.: Blatchley, 1926 (desc.).

Physopleurella floridana Blatchley, 1926

Physopleurella floridana Blatchley, 1926: 621. STS. United States, Florida. PUNI.

Dist. CI: JM. **SA:** AR (ent).

Tribe **SCOLOPINI** Carayon, 1954

SCOLOPINI Carayon, 1954: 601. Type genus: *Scolopa* Carayon, 1954.

Ref.: Carayon, 1972a (desc.); Péricart 1972 (desc.).

Subtribe **SCOLOPINA** Carayon, 1954

Genus *Lasiochiloides* Champion, 1900

Lasiochiloides Champion, 1900: 310. Type species by monotypy: *Lasiochiloides denticulatus* Champion, 1900.

Ref.: Drake & Harris, 1926.

Lasiochiloides denticulatus Champion, 1900

Lasiochiloides denticulatus Champion, 1900: 311. HT: male. GT, C° Zunil. BMNH.

Dist. CA: GT.

Lasiochiloides socialis Drake & Harris, 1926

Lasiochiloides socialis Drake & Harris, 1926: 36. HT: male. MX, Nalles. USNM.

Dist. CA: MX.

Genus *Scolopa* Carayon, 1954

Scolopa Carayon, 1954: 596. Type species by monotypy: *Scolopa wygodzinskyi* Carayon, 1954.

Scolopa wygodzinskyi Carayon, 1954

Scolopa wygodzinskyi Carayon, 1954: 597. HT: male. BR, Nova Friburgo, Rio. MNHN.

Dist. SA: BR.

Genus *Scolopella* Carayon, 1954

Scolopella Carayon, 1954: 599. Type species by monotypy: *Scolopella brasiliensis* Carayon, 1954.

Scolopella brasiliensis Carayon, 1954

Scolopella brasiliensis Carayon, 1954: 600. HT: male. BR, Itatiaya, Rio. MNHN.

Dist. SA: AR(mis), BR.

Genus *Scolopocoris* Carayon, 1972a

Scolopocoris Carayon, 1972a: 341. Type species by monotypy: *Scoloposcelis gracilicornis* Poppius, 1909.

Scolopocoris gracilicornis (Poppius, 1909)

Scoloposcelis gracilicornis Poppius, 1909: 25. HT: male. UR, La Sierra. MCSN.

Dist. SA: AR (bue, cba), BR, UR (mal).

Genus *Scoloposcelis* Fieber, 1864

Scoloposcelis Fieber, 1864: 66. Type species by monotypy: *Xylocoris crassipes* Flor, 1860 (= *Antho-*

coris pulchella Zettersted, 1838) (Estonia).

Scolopscelis flavicornis Reuter, 1871b

Scolopscelis flavicornis Reuter, 1871b: 561.

STS. United States, Texas. NHRS.

Dist. CA: GT, MX.

Ref.: Stål, 1873 (cat.); Reuter, 1884 (desc.); Champion, 1900 (rec.); Van Duzee, 1917 (cat.); Blatchley, 1926 (desc.); Kelton, 1978 (desc.).

Subtribe **CALLIODINA** Carayon, 1972a

CALLIODINA Carayon, 1972a: 341. Type genus:

Calliodis Reuter, 1871b.

Genus **Calliodis** Reuter, 1871b

Calliodis Reuter, 1871b: 558. Type species by monotypy: *Calliodis picturata* Reuter, 1871b.

Asthenidea Reuter, 1884: 602. Type species by subsequent designation (Kirkaldy, 1906: 120): *Asthenidea temnostethoides* Reuter, 1884 (syn. by Carayon, 1972a: 341).

Ref.: Champion, 1900 (desc.); Blatchley, 1926 (desc.); Kelton, 1978 (desc.).

Calliodis bifasciatus (Champion, 1900)

Asthenidea bifasciata Champion, 1900: 318. STS.

PN, David & Tolé in Chiriqui. BMNH.

Dist. CA: NC, PN. **CI:** TT. **SA:** VN.

Calliodis clarus (Buchanan-White, 1879)

Asthenidea clara Buchanan-White, 1879: 144.

STS. BR, Amazon. PMAG.

Dist. SA: BR.

Ref.: Reuter, 1884 (desc.); Poppius, 1909 (rec.); 1913 (rec.).

Calliodis coloratus (Poppius, 1909)

Asthenidea colorata Poppius, 1909: 12. HT: female. BR, Espirito Santo. NHMW.

Dist. SA: BR.

Calliodis crawfordi (Poppius, 1909)

Asthenidea crawfordi Poppius 1909: 11. HT: female. MX, Guadalajara. ISNB (lost).

Dist. CA: MX.

Calliodis curvicrus (Reuter, 1884) (N. COMB.)

Lasiophilus (Semiotoscelis) curvicrus Reuter, 1884: 579. HT: female. BR, Botafogo. ISNB.

Dist. SA: BR.

Calliodis maculipennis (Reuter, 1884)

Asthenidea maculipennis Reuter, 1884: 608. HT: female. VG, St. Thomas I. ZMHB.

Dist. CI: CB, GD, JM, VG.

Ref.: Poppius, 1909 (rec.).

Calliodis nebulosus (Uhler, 1894)

Lasiophilus nebulosus Uhler, 1894: 200. STS. GN, Balthazar; Mt. Gay. BMNH. (transferred to *Asthenidea* by Champion, 1900: 317).

Dist. CA: GT, PN. **CI:** GN, JM. **PC:** CC.

Ref.: Herring, 1966a (rec.); Carpintero *et al.*, 1996 (cat.).

Calliodis pallescens (Reuter, 1884)

Asthenidea pallescens Reuter, 1884: 606. STS. MX, Bilimek (NHMW); Veracruz (NHRS).

Dist. CA: CR, GT, MX, NC. **CI:** GN. **SA:** AR (cor, juj, mis, sal), BO, BR.

Ref.: Champion, 1900 (rec.); Poppius, 1909 (rec.); Blatchley, 1926 (desc.); Carpintero *et al.*, 1996 (cat.).

Calliodis picturatus Reuter, 1871b

Calliodis picturatus Reuter, 1871b: 559. STS. BR. NHRS.

Dist. SA: AR (bue, cba, mis), BR, GY.

Ref.: Stål, 1873 (rec.); Reuter, 1884 (desc.); da Costa Lima, 1940 (rec.).

Calliodis pictus (Uhler, 1894)

Lasiophilus pictus Uhler, 1894: 167. STS. GN; SV. BMNH. (transferred to *Asthenidea* by Champion, 1900: 318).

Dist. CA: MX, NC. **CI:** GN, SV.

Ref.: Carpintero *et al.*, 1996 (cat.).

Calliodis punctatostriatus (Reuter, 1884)

Asthenidea punctatostriata Reuter, 1884: 605. STS. CO, Bogotá, Nueva Granada. NHRS.

Dist. CA: MX, PN. **SA:** AR (mis), BO, CO.

Ref.: Poppius, 1909 (rec.).

Calliodis signatus (Poppius, 1909)

Asthenidea signata Poppius, 1909: 12. STS. GD. HNHM; ISNB.

Dist. CI: GD.

Genus **Eulasiocolpus** Champion, 1900

Eulasiocolpus Champion, 1900: 313. Type species by monotypy: *Eulasiocolpus megalops*

Champion, 1900.

Ref.: Carayon, 1972a (generic position).

Eulasiocolpus megalops Champion, 1900

Eulasiocolpus megalops Champion, 1900: 313.

LT: female. PN, Vn. de Chiriqui. ISNB (**HEREIN DESIGNATED**).

Dist. CA: GT, PN. **SA:** BO, BR.

Genus ***Lasiocolpoides*** Champion, 1900

Lasiocolpoides Champion, 1900: 313. Type species by monotypy: *Lasiocolpoides ciliatus* Champion, 1900.

Ref.: Carayon, 1972a (generic position).

Lasiocolpoides ciliatus Champion, 1900

Lasiocolpoides ciliatus Champion, 1900: 314. LT: female. GT, San Gerónimo. BMNH (**HEREIN DESIGNATED**).

Dist. CA: GT.

Genus ***Lepidonannella*** Poppius, 1913

Lepidonannella Poppius, 1913: 15 (New name for *Lepidophorella* Poppius, 1909).

Lepidophorella Poppius, 1909: 34. Type species by monotypy: *Lepidophorella opaca* Poppius, 1909 (junior homonym of *Lepidophorella* Collembola).

Lepidonannella opaca (Poppius, 1909)

Lepidophorella opaca Poppius, 1909: 35. HT: male. BR, São Paulo. HNHM.

Dist. SA: BR.

Genus ***Nidicola*** Harris & Drake, 1941

Nidicola Harris & Drake, 1941: 343. Type species by original designation: *Nidicola marginata* Harris & Drake, 1941.

Ref.: Drake & Herring, 1964.

Nidicola aglaia Drake & Herring, 1964

Nidicola aglaia Drake & Herring, 1964: 59. HT: male. MX. USNM.

Dist. CA: MX.

Nidicola engys Drake & Herring, 1964

Nidicola engys Drake & Herring, 1964: 63. HT: female. MX, Sonora. USNM.

Dist. CA: MX, NC.

Ref.: Carpintero *et al.*, 1996 (cat.).

Nidicola etes Drake & Herring, 1964

Nidicola etes Drake & Herring, 1964: 59. HT: male. MX, S.L. Potosí. USNM.

Dist. CA: MX, NC.

Nidicola marginata Harris & Drake, 1941

Nidicola marginata Harris & Drake, 1941: 344. HT: male. United States, Arizona. USNM.

Dist. CA: MX.

Ref.: Drake & Herring, 1964 (desc.).

Nidicola mazda Herring, 1966a

Nidicola mazda Herring, 1966a: 129. HT: female. GA, Santa Cruz. USNM.

Dist. PC: GA.

Ref.: Froeschner, 1981 (cat.).

Nidicola mitra Drake & Herring, 1964

Nidicola mitra Drake & Herring, 1964: 61. HT: male. MX. USNM.

Dist. CA: GT, MX, NC.

Ref.: Carpintero *et al.*, 1996 (cat.).

Genus ***Solenonotus*** Reuter, 1871b

Solenonotus Reuter, 1871b: 559. Type species by monotypy: *Anthocoris sulcifer* Stål, 1860.

Ref.: Stål, 1873 (cat.); Reuter, 1884 (key, desc.); Champion, 1900 (key, desc.).

Solenonotus canaliculatus Champion, 1900

Solenonotus canaliculatus Champion, 1900: 334. STS. GT, Pantaleon; PN, Bugaba; San Feliz. BMNH.

Dist. CA: GT, PN. **SA:** BR.

Solenonotus nigromarginatus Champion, 1900

Solenonotus nigromarginatus Champion, 1900: 335. STS. GT, El Reposo; Las Mercedes; Pantaleon; PN, Bugaba. BMNH.

Dist. CA: GT, NC, PN. **CI:** GN, SV, TT.

Ref.: Carpintero *et al.*, 1996 (cat.).

Solenonotus sulcifer (Stål, 1860)

Anthocoris sulcifer Stål, 1860: 43. STS. BR, Rio Janeiro. NHRS.

Dist. CA: PN. **SA:** BO, BR, CO.

Ref.: Reuter, 1871b (n. gen.); Stål, 1873 (cat.); Reuter, 1884(desc.); Champion, 1900 (key, desc.).

Genus *Zopherocoris* Reuter, 1871

Zopherocoris Reuter, 1871b: 565. Type species by monotypy: *Anthocoris armatus* Stål, 1860.
Ref.: Reuter, 1884 (desc.).

Zopherocoris armatus (Stål, 1860)

Anthocoris armatus Stål, 1860: 43. STS. BR. Rio Janeiro. NHRS.

Dist. CA: PN. **SA:** BR, CO.

Ref.: Reuter, 1871b (n. gen.); Stål, 1873 (cat.); Reuter, 1884(desc.).

Subfamily **ANTHOCORINAE** Fieber, 1836

Tribe **ANTHOCORINI** Fieber, 1836

Genus *Anthocoris* Fallén, 1814

Anthocoris Fallén, 1814: 9. Type species by subsequent designation (Westwood, 1840: 122): *Cimex nemorum* Linnaeus, 1761.

Ref.: Reuter, 1884 (key desc.); Champion, 1900 (key, desc.); Péricart, 1972 (monog.); Kelton, 1978 (key, desc.); Lattin & Stanton, 1992 (desc.).

Anthocoris albiger Reuter, 1884

Anthocoris albiger Reuter, 1884: 625. STS. MX. Orizaba. NHMW. **Dist. CA:** GT, MX.

Ref.: Champion, 1900 (dist. note); Van Duzee, 1917 (cat.).

Anthocoris antevolens Buchanan-White, 1879

Anthocoris antevolens Buchanan-White, 1879: 146. STS. United States, California. MNHN.

Dist. CA: MX. **SA:** VN.

Ref.: Reuter, 1884 (desc.); Champion, 1900 (dist. note); Poppius, 1913 (rec.); Van Duzee, 1917 (cat.); Kelton, 1978 (desc.); Lattin & Stanton, 1992 (biol.).

Anthocoris dentipes Champion, 1900

Anthocoris dentipes Champion, 1900: 325. STS. PN, Tolé; Peña Blanca. BMNH.

Dist. CA: PN.

Anthocoris fulvipennis Reuter, 1884

Anthocoris fulvipennis Reuter, 1884: 624. HT: female. MX, Tukubaja. NHMW.

Dist. CA: MX.

Ref.: Champion, 1900 (dist. note); Van Duzee, 1917 (cat.).

Anthocoris nigripes Reuter, 1884

Anthocoris nigripes Reuter, 1884: 624. HT: female. MX. NHMW.

Dist. CA: MX.

Ref.: Champion, 1900 (dist. note); Poppius 1913 (rec.); van Duzee, 1917 (cat.).

Anthocoris obsoletus (Blanchard, 1853) (N. COMB.)

Xylocoris obsoletus Blanchard, 1853: 140. STS. CH. MNHN(lost).

Dist. SA: CH (VII).

Ref.: Signoret, 1863 (desc.); Stål, 1873 (cat.); Reuter, 1884(desc.).

Anthocoris rufotinctus Champion, 1900

Anthocoris rufotinctus Champion, 1900: 325. HT: male. GT, C° Zunil. BMNH.

Dist. CA: GT.

Anthocoris variicornis Champion, 1900

Anthocoris variicornis Champion, 1900: 325. HT: female. PN, Vn. de Chiriqui. BMNH.

Dist. CA: MX, PN.

Anthocoris variipes Champion, 1900

Anthocoris variipes Champion, 1900: 324. STS. GT, Quetzaltenango; Totonicapan; C° Zunil. BMNH.

Dist. CA: ES, GT, MX.

Genus *Elatophilus* Reuter, 1884

Elatophilus Reuter, 1884: 616. Type species by subsequent designation (Kirkaldy 1906: 120):

Temnostethus nigrellus Zetterstedt, 1838.

Ref.: Kelton, 1978 (desc.).

Subgenus *Elatophilus* Reuter, 1884

Elatophilus antennatus Kelton, 1976

Elatophilus antennatus Kelton, 1976: 634. HT: female. MX, Chiapas. CNCI.

Dist. CA: MX.

Genus *Macrotrachelia* Reuter, 1871

Macrotrachelia Reuter, 1871b: 566. Type species by monotypy: *Anthocoris nigrinitens* Stål, 1860.

Ref.: Reuter, 1884 (desc.); Champion, 1900 (key, desc.).

Macrotrachelia albovittata Champion, 1900

Macrotrachelia albovittata Champion, 1900: 320.

HT: female. GT, C° Zunil. BMNH.

Dist. CA: GT.

Macrotrachelia elongata Champion, 1900

Macrotrachelia elongata Champion, 1900: 319.

STS. PN, Vn. de Chiriqui. BMNH.

Dist. CA: PN.

Macrotrachelia nigronitens (Stål, 1860)

Anthocoris nigronitens Stål, 1860: 43. HT: male.

BR, Rio Janeiro. NHRS.

Dist. CA: PN. **SA:** AR(bue), BR.

Ref.: Reuter, 1871b (desc.); Stål, 1873(cat.);

Reuter, 1884 (desc.); Champion, 1900 (dist. note).

Macrotrachelia nitida Champion, 1900

Macrotrachelia nitida Champion, 1900: 320. HT:

male. PN, Vn. de Chiriqui. BMNH.

Dist. CA: PN.

Macrotrachelia opacipennis Champion, 1900

Macrotrachelia opacipennis Champion, 1900:

321. HT: female. PN, Boquete in Chiriqui.

BMNH.

Dist. CA: PN.

Macrotrachelia thripiformis Champion, 1900

Macrotrachelia thripiformis Champion, 1900:

320. STS. GT, San Gerónimo; Las Mercedes.

BMNH.

Dist. CA: GT.

Genus *Melanocoris* Champion, 1900

Melanocoris Champion, 1900: 329. Type species

by monotypy: *Melanocoris obovatus* Champion, 1900.

Ref.: Kelton, 1978 (key, desc.).

Melanocoris nigricornis Van Duzee, 1921

Melanocoris nigricornis Van Duzee, 1921: 143.

HT: female. United States, California. CASC.

Dist. CA: MX.

Ref.: Kelton, 1978 (desc.); Lattin & Stanton, 1992 (biol.).

Melanocoris obovatus Champion, 1900

Melanocoris obovatus Champion, 1900: 330. HT:

female. GT, Totonicapan. BMNH.

Dist. CA: GT.

Ref.: Kelton, 1978 (desc.).

Tribe **ORIINI** Carayon, 1958

ORIINI Carayon, 1958: 154. Type genus: *Orius* Wolff, 1811.

Ref.: Carayon, 1972a (desc.); Péricart, 1972 (desc.); Kelton, 1978 (desc.).

Genus *Macrotracheliella* Champion, 1900

Macrotracheliella Champion, 1900: 322. Type species by monotypy: *Macrotracheliella laevis* Champion, 1900.

Ref.: Kelton, 1978 (desc.).

Macrotracheliella conica (Blanchard, 1853)

Xylocoris conicus Blanchard, 1853: 137. STS.

CH. N. (transferred to *Macrotracheliella* by Carayon, 1972b).

Dist. SA: AR (sal), BR, CH (VII), PE.

Ref.: Signoret, 1863 (desc.); Stål, 1873 (cat.); Reuter, 1884 (desc.).

Macrotracheliella laevis Champion, 1900

Macrotracheliella laevis Champion, 1900: 322.

STS. MX, Teapain Tabasco; PN, Bugaba; Vn. de Chiriqui. BMNH.

Dist. CA: MX, NC, PN. **SA:** AR (bue, cba, mis), BO, BR, PE.

Ref.: Drake & Harris, 1926 (desc.); Carpintero *et al.*, 1996 (cat.).

Genus *Orius* Wolff, 1811

Orius Wolff, 1811: 167. Type species by monotypy: *Salda nigra* Wolff, 1804.

Triphleps Fieber, 1860: 266 (syn. Schumacher, 1922: 338). Type species by subsequent designation (Kirkaldy, 1906: 120): *Salda nigra* Wolff, 1804.

Ref.: Stål, 1873 (cat.); Reuter, 1884 (desc.); Champion, 1900 (desc.); Herring, 1966b (key, desc.); Péricart, 1972 (key, desc.); Kelton, 1978 (key, desc.).

Orius alcides Herring, 1966b

Orius alcides Herring, 1966b: 1101. HT: male. PE, Piura. USNM.

Dist. SA: PE.

Orius brevicollis (Blanchard, 1853)

Xylocoris brevicollis Blanchard, 1853: 138. STS. CH. MNHN.

- Triphleps lepidus* Reuter, 1871b: 564 (misidentification, nec Stål, 1860).
- Triphleps reedi* Buchanan-White, 1879: 145 (N. SYN.). HT. CH, Valparaíso. PMAG (lost).
- Dist. SA:** AR (bue, cat, cba, cha, cor, ent, juj, lar, mis, rio, sal, sfe, slu, sju, sde, tuc), BO, CH (I, IV, V, VI, VII, VIII, IX).
- Ref.:** Signoret, 1863 (desc.); Stål, 1873 (cat.); Reuter, 1884 (desc.); Poppius, 1909 (rec.); Herring, 1966b (desc.).
- Orius championi** Herring, 1966
- Orius championi* Herring, 1966b: 1095. HT: male. CO, Cundinamarca. USNM.
- Triphleps fuscus* Champion, 1900: 326 (misidentification, nec Reuter, 1884).
- Dist. CA:** MX. **SA:** CO, EC.
- Orius euryale** Herring, 1966
- Orius euryale* Herring, 1966b: 1103. HT: male. MX, Querétaro. USNM.
- Dist. CA:** MX.
- Orius flaviceps** (Poppius, 1909)
- Triphleps flaviceps* Poppius, 1909: 38. LT: male (designated by Herring, 1966b: 1094). GD. HNHN.
- Dist. CA:** MX. **CI:** CY, GD.
- Orius florentiae** Herring, 1966
- Orius florentiae* Herring, 1966b: 1095. HT: male. CO, Pasto Narino. USNM.
- Dist. SA:** BO, CH(I), CO, EC, PE.
- Ref.:** Froeschner, 1981 (rec.).
- Orius fuscus** (Reuter, 1884)
- Triphleps fuscus* Reuter, 1884: 654. LT: female (designated by Herring, 1966b: 1095). CO, Bogotá. SMNH.
- Dist. CA:** MX. **SA:** CO, VN.
- Ref.:** Champion, 1900 (desc.); Poppius, 1909 (rec.); 1913 (rec.); Herring, 1966b (desc.).
- Orius insidiosus** (Say, 1832)
- Reduvius insidiosus* Say, 1832: 32. STS. United States. USNM (lost).
- Anthocoris lepidus* Stål, 1860: 43 (syn. Reuter, 1884: 97). STS. BR. SMNH.
- Anthocoris parvulus* Blanchard, 1853: 141 (N. SYN.). STS. CH. MNHN (lost).
- Dist. CA:** CR, GT, MX, NC, PN. **CI:** CB, CY, GD, GN, JM, PR, VG, SV. **SA:** AR (bue, cat, cba, cor, ent, for, lap, mza, mis, neu, rio, sal, sde, sfe, slu, sju, tuc), BO, BR, CH(VI, VII), CO, PA, PE, UR (col, mvi).
- Ref.:** Signoret, 1863 (desc.); Reuter, 1871b (desc.); Stål, 1873 (cat.); Berg, 1878 (rec.); Reuter, 1884 (desc.); Champion, 1900 (rec.); Van Duzee, 1907 (rec.); Poppius, 1909 (rec.); 1913 (rec.); Van Duzee, 1917 (cat.); Blatchley, 1926 (desc.); da Costa Lima, 1940 (rec, biol.); Ruffinelli & Piran, 1959 (cat.); Beingolea Guerrero, 1962 (biol.); Kelton, 1963 (desc.); Herring, 1966b (rec.); Kelton, 1978 (desc.); Carpintero *et al.*, 1996 (rec.).
- Orius ixionides** Herring, 1966b
- Orius ixionides* Herring, 1966b: 1100. HT: male. HD, Tegucigalpa. USNM.
- Dist. CA:** HD, NC.
- Orius jasiones** Herring, 1966b
- Orius jasiones* Herring, 1966b: 1100. HT: male. HD, Tegucigalpa. USNM.
- Dist. CA:** HD.
- Orius lesliae** Herring, 1966b
- Orius lesliae* Herring, 1966b: 1096. HT: female. PE. USNM.
- Dist. SA:** CH(I), PE.
- Orius pallidus** (Poppius, 1909)
- Triphleps pallidus* Poppius, 1909: 39. HT: female. AR (tuc). HNHN.
- Dist. SA:** AR (bue, cor, ent, juj, mis, sal, sde, tuc), BR, PA.
- Ref.:** Herring, 1966b (desc.).
- Orius pele** Herring, 1966b
- Orius pele* Herring, 1966b: 1096. HT: male. CO, Mares above Cali. USNM.
- Dist. SA:** CO.
- Orius perpunctatus** (Reuter, 1884)
- Triphleps perpunctatus* Reuter, 1884: 655. HT: male. MX, Vera Cruz. SMNH.
- Triphleps fuscus* Champion, 1900: 326 (misidentification, nec Reuter).
- Triphleps aterrimus* Champion, 1900: 328. HT: female. PN, Peña Blanca. BMNH (syn. Herring, 1966b: 1099).
- Dist. CA:** CR, GT, HD, MX, NC, PN. **CI:** GN, SV. **SA:** AR (cor, mis), BO, BR, PE, VN.
- Ref.:** Uhler, 1894 (rec.); Poppius, 1909 (rec.); Blatchley, 1926 (desc.); Kelton, 1963 (desc.); Carpintero *et al.*, 1996 (rec.).

Orius pumilio (Champion, 1900)
Triphleps pumilio Champion, 1900: 327. HT: male. GT. BMNH.

Dist. CA: GT, MX, NC. **CI:** CB, JM.

Ref.: Kelton, 1963 (desc.); Herring, 1966b (desc.); Carpintero *et al.*, 1996 (rec.).

Orius thyes Herring, 1966b
Orius thyes Herring, 1966b: 1099. HT: male. CL, Palmira, Valle. USNM.

Dist. SA: CO.

Orius tricolor (Buchanan-White, 1879)
Triphleps tricolor Buchanan-White, 1879: 145. STS. United States, California. PMAG (lost).

Dist. CA: BZ, CR, GT, HD, MX, PN. **CI:** BA. **PC:** GA. **SA:** AR(bue, cor, mza, rio, sfe), BR, CO, PE.

Ref.: Reuter, 1884 (desc.); Champion, 1900 (rec.); Poppius, 1909 (rec.); 1913 (rec.); Van Duzee, 1917 (cat.); Kelton, 1963 (desc.); 1966 (desc.); Herring, 1966a (rec.); 1966b (desc.); Kelton, 1978 (desc.); Froeschner, 1985 (rec.); Lattin & Stanton, 1992 (biol.).

Genus **Paratriphleps** Champion, 1900

Paratriphleps Champion, 1900: 328. Type species by monotypy: *Paratriphleps laeviusculus* Champion, 1900.

Paratriphleps laeviusculus Champion, 1900
Paratriphleps laeviusculus Champion, 1900: 329. HT: female. PN, Volcan de Chiriqui. BMNH.

Dist. CA: HD, MX, NC, PN. **CI:** PR. **SA:** PE.

Ref.: Drake & Harris, 1926 (rec.); Beingolea Guerrero, 1962 (biol.); Drake & Herring, 1964 (rec.).

Paratriphleps pallidus (Reuter, 1884)
Brachysteles pallidus Reuter, 1884: 673. STS. VG, St. Jean & St. Thomas Is. ZMHB (transferred to *Paratriphleps* by Champion, 1900: 329).

Dist. CI: GN, SV, VG.

Ref.: Uhler, 1894 (rec.); Van Duzee, 1917 (cat.); Blatchley, 1926 (desc.).

INCERTAE SEDIS

Genus **Opisthopselus** Reuter, 1908

Opisthopselus Reuter, 1908: 5. Type species by

monotypy: *Opisthopselus punctaticollis* Reuter, 1908.

Opisthopselus punctaticollis Reuter, 1908
Opisthopselus punctaticollis Reuter, 1908: 5. STS. VN, La Moka. MZHF.

Dist. SA: VN, BR.

ACKNOWLEDGMENTS

Special thanks to the following colleagues for help and loan of many specimens and type material, which were very useful for this work: M. V. Ajmat de Toledo, Tucumán, Argentina; A. Bachmann, Buenos Aires, Argentina; J. E. Barriga Tuñón, Curicó, Chile; D. J. Carpintero, Hurlingham, Argentina; J. C. M. Carvalho, Rio de Janeiro, Brazil; F. Chérot, Brussels, Belgium; M. C. Coscarón, La Plata, Argentina; M. Elgueta, Santiago, Chile; T. J. Henry, Washington, United States of America; L. Huldén, Helsinki, Finland; J. M. Maes, León, Nicaragua; C. Magalhães, Manaus, Brazil; J. Margerison-Knight, London, Great Britain; M. Martínez, Montevideo, Uruguay; G. Spinelli, La Plata, Argentina.

LITERATURE CITED

- AUKEMA, B. & C. RIEGER, 1995. *Catalogue of the Heteroptera of the Palaearctic region*. The Netherlands Entomological Society, The Netherlands, 1: 1-107.
- BEINGOLEA GUERRERO, O. 1962. Factores ecológicos y poblaciones del gusano de la hoja del algodón, *Anomis texana* Riley (Lep.: Noctuidae). *Rev. Per. Ent. Agr.* 5(1): 39-78.
- BERG, C. 1878. Fam. Cimicidae Stål, Subf. Anthocorina Reut. Hemiptera Argentina. Ensayo de una monografía de los Hemípteros-Heterópteros de la República Argentina. *An. Soc. Cient. Arg.* 6: 132.
- BERGROTH, E. 1923. Hemiptera from Juan Fernández and Eastern Island. In: SKOTTSBERGED, C. *The Natural History of Juan Fernandez and Eastern Island* 3: 395-402.
- BLANCHARD, E. 1853. Hemiptera. In: Gay, C. *Historia física y política de Chile*. Zoologica V.7: 113-320. Paris: Imprenta de Maulde y Renou.
- BLATCHLEY, W. S. 1926. Anthocoridae Amyot & Serville, 1826. Heteroptera of Eastern North

- America. Indianapolis. Nature Publishing Co. pp. 621-646.
- BUCHANAN-WHITE, F. 1879. Description of new Anthocoridae. *Entomol. Mont. Mag.* 16: 142-148.
- CARAYON, J. 1954. Deux genres nouveaux d'Hémiptères Anthocoridae du Brésil représentant une tribu nouvelle. *Bull. Mus. Nation. Hist. Nat.*, Paris 26(5): 596-601.
- CARAYON, J. 1958. Etudes les Hémiptères Cimicoidea I. Position des genres *Bilia*, *Biliola*, *Bilianella* et *Wollastoniella* dans une tribu nouvelle (Oriini) des Anthocoridae; différences entre ces derniers et les Miridae Isometopinae (Heteroptera). *Mém. Mus. Hist. Nat. (A. Zoologie)* 16: 141-172.
- CARAYON, J. 1972a. Caractères systématiques et classification des Anthocoridae (Hemipt.). *Ann. Soc. ent. Fr. (N.S.)* 8(2):309-349.
- CARAYON, J. 1972b. Le Genre *Xylocoris*. Subdivision et espèces nouvelles. (Hem.: Anthocoridae). *Ann. Soc. ent. Fr. (N.S.)* 8(3): 579-606.
- CARAYON, J. & R. L. USINGER. 1965. A new genus of Neotropical Anthocoridae that resembles the Bed Bug (Hemiptera). *Pan-Pac. Ent.* 41(3): 200-204.
- CARPINTERO, D. L., J. M. MAES & M. C. COSCARON 1996. Catálogo de los Anthocoridae (Heteroptera) de Nicaragua. *Rev. Nica. Ent.* 41: 23- 26.
- CHAMPION, G. C. 1900. Anthocoridae. Insecta. Rhynchota. Hemiptera-Heteroptera, 2. In: GODMAN, F. D. & O. SALVIN (eds.). *Biologia Centrali-Americana*, Taylor & Francis, London, U.K. pp. 306-336.
- CHINA, W. E. 1963. Hemiptera-Heteroptera collected by the Royal Society expedition to South Chile 1958-1959. *Ann. Mag. Nat. Hist. London* 13(5): 705-723.
- DA COSTA LIMA, A. 1940. Familia Anthocoridae. In: *Insetos do Brasil*. 2(XXII). Hemiptera. Escola Nacional de Agronomia. Brazil Série didática N. 3: 260-261.
- DISTANT, W. L. 1904. Rhynchotal Notes, XXI. *Ann. Mag. Nat. Hist. ser. 7*, 14(33): 219-222.
- DRAKE, C. J. & H. M. HARRIS 1926. Notes on American Anthocoridae with description of new forms. *Proc. Biol. Soc. Wash.* (39):33- 46.
- DRAKE, C. J. & J. L. HERRING 1964. The Genus *Nidicola* (Hemiptera: Anthocoridae). *Proc. Biol. Soc. Wash.* 77: 53-64.
- DUFOUR, L. 1831. Description et figure du *Xylocoris rufipennis*, Hémiptère nouveau. *Ann. Sci. Nat.* 22: 423-426.
- DUFOUR, L. 1833. Mémoire sur les genres *Xylocoris*, *Leptopus* et *Velia*. *Ann. Soc. Ent. Fr.* 2: 104-118.
- FABRICIUS, J. C. 1794. *Entomologia systematica emendata et aucta, secundum classes, ordines, genera, specis adjectis synonymis, locis, observationibus, descriptionibus*. Proft, Hafniae. 4(I-V): 1-472.
- FALLEN, C. F. 1807. *Monographia Cimicum Sueciae*. Proft, Hafniae (2nd printing 1818), 123 pp.
- FALLEN, C. F. 1814. *Specimen novam Hemiptera disponendi methodum exhibens*. Berling, Lund. 1-26.
- FIEBER, F. X. 1836. Beiträge zur Kenntnis der Schnabelkerfe (Rhynchota). In: WEITENWEBER, W.R. (ed.), *Beiträge zur gesammten Natur- und Heilwissenschaft*. Weitenweber, Prague, 1(1): 97-111.
- FIEBER, F. X. 1860. Exegesen in Hemipteren. *Wien. Ent. Monatschrift* 4: 257-272.
- FIEBER, F. X. 1864. Neuere Entdeckungen in europäischen Hemipteren. *Wien. Ent. Monatschrift.* 8: 65-86, 205-234, 321-335.
- FLOR, G. 1860. Die Rhynchoten Livlands in systematischer Folge beschrieben. Schulz, Dorpat, 1: 1-826.
- FROESCHNER, R. C. 1981. Family Anthocoridae Amyot & Serville. Heteroptera or true Bugs of Ecuador: a Partial Catalog. *Smithsonian Contr. Zoology* 122: 12-13.
- FROESCHNER, R. C. 1985. Anthocoridae Amyot & Serville. Synopsis of the Heteroptera or True Bugs of the Galápagos Islands. *Smithsonian Contr. Zoology* 407: 7-10.
- HAHN, C. W. 1836. Die Wanzenartigen Insecten, getreu nach der Natur abgebildet und beschrieben. Zeh, Nürnberg, 3: 17-34.
- HARRIS, H. M. & C. J. DRAKE 1941. A new genus and species of Anthocoridae (Hemiptera). *Iowa St. Coll. J. Sci.* 15(3): 343-344.
- HENRY, T. J. 1988. Family Anthocoridae Fieber, 1837. In: Henry, T. J. & R. C. Froeschner (eds.), *Catalog of the Heteroptera, or True Bugs, of Canada and the Continental United States*. E. J. Brill, Leiden New York, 12-28.
- HENRY, T. J. & J. L. HERRING 1978. A new genus and species of Cardistethini from Peru (Hemiptera: Anthocoridae). *Proc. Entomol. Soc. Wash.* 80(4): 520-523.
- HERRING, J. L. 1965. The status of *Amphiareus* Distant, *Buchananiella* Reuter and *Poronotellus* Kirkaldy. *Proc. Ent. Soc. Wash.* 7(3): 202-203.

- HERRING, J. L. 1966a. The Anthocoridae of the Galápagos and Cocos Islands. (Hemiptera). *Proc. Ent. Soc. Wash.* 68(2): 127-130.
- HERRING, J. L. 1966b. The Genus *Orius* of the Western Hemisphere (Hemiptera: Anthocoridae). *Ann. Ent. Soc. Amer.* 59(6): 1093-1109.
- HERRING, J. L. 1976. Keys to genera of Anthocoridae of America North of Mexico, with description of a new genus (Hemiptera: Heteroptera). *Florida Ent.* 59(2): 143-150.
- KELTON, L. A. 1963. Synopsis of the genus *Orius* Wolff in America North of Mexico (Heteroptera: Anthocoridae). *Can. Entomol.* 95: 631-636.
- KELTON, L. A. 1966. A New Species of *Lyctocoris* Hahn from Mexico (Heteroptera: Anthocoridae). *Can. Entomol.* 98(3): 320-321.
- KELTON, L. A. 1967. Synopsis of the genus *Lyctocoris* in North America and a description of a new species from Quebec (Heteroptera: Anthocoridae). *Can. Entomol.* 99: 807-814.
- KELTON, L. A. 1976. The genus *Elatophilus* Reuter in North America with description of two new species (Heteroptera: Anthocoridae). *Can. Entomol.* 108: 631-634.
- KELTON, L. A. 1978. The Insects and Arachnids of Canada. Part 4. The Anthocoridae of Canada and Alaska (Heteroptera: Anthocoridae). Publication 1639. Ottawa: Agriculture Dept. Canada, 101 pp.
- KIRKALDY, G. W. 1904. Bibliographical and nomenclatorial notes on the Hemiptera. N°3. *Entomologist* 37: 279-283.
- KIRKALDY, G. W. 1906. List of the Genera of the Pagiopodous Hemiptera-Heteroptera with their Type-species, from 1758 to 1904 (and also of the aquatic and semi-aquatic Trochalopoda). *Trans. Amer. Ent. Soc.* 32: 117-156.
- LATTIN, J. D. & N. L. STANTON. 1992. A review of the species of Anthocoridae (Hemiptera: Heteroptera) found on *Pinus contorta*. *J. New York Entomol. Soc.* 100(3): 424-479.
- LINNAEUS, C. 1761. Fauna Svecica sistens animalia aviciae regni: Mammalia, Aves, Amphibia, Pisces, Insecta, Vermes, distributa per classes & ordines, genera & species. Salvii, Stockholmiae (Second edition of fauna Svecica), I-XLVI, 1-578.
- PENNINGTON, M. S., 1921. Lista de los Hemípteros Heterópteros de la República Argentina. Buenos Aires. (Publicación personal), 2-47.
- PERICART, J. 1970. Désignation de néotypes, lectotypes et paralectotypes pour diverses espèces paléarctiques d'Anthocoridae et Microphysidae (Hemiptera). *Ann. Soc. Ent. Fr.* (N.S.) 6: 733-755.
- PERICART, J. 1972. Anthocoridae, Cimicidae et Microphysidae de l'Ouest-Paléarctique. 7. Hemiptera. In: MASSON (ed.), Fauna de l'Europe et du Bassin Méditerranéen. Paris, France. 402 pp.
- PERICART, J. 1996. Family Anthocoridae Fieber, 1836. In: AUKEMA, B. & C. RIEGER (eds.), Catalogue of the Heteroptera of the Palaearctic Region. The Netherlands Entomological Society, The Netherlands. 2: 108-140.
- POPPIUS, B. R. 1909. Beiträge zur Kenntnis der Anthocoriden. *Acta Soc. Sci. Fennicae* 37(4): 1-45.
- POPPIUS, B. R. 1913. Beiträge zur Anthocoriden-Fauna von Central- und Nord Amerika. *Ann. Soc. Ent. Belgique* 57: 11-15.
- REUTER, O. M. 1871a. Skandnaviens och Finlands Acanthiider, beskrifne. *Öfv. Kung. Vet. För.* 27: 403-429.
- REUTER, O. M. 1871b. Acanthiidae americanae descriptae. *Öfv. Kung. Vet. För.* 28: 557-568.
- REUTER, O. M. 1875. Genera Cimicidarum Europae. Bihang till *Kung. Sv. Vet. Handl.* 3: 3-66.
- REUTER, O. M. 1884. Monographia Anthocoridarum orbis terrestris. *Acta Soc. Sci. Fennicae* 14: 555-758.
- REUTER, O. M. 1888. Revisio synonymica Heteropterorum Palaearcticorum quae descripserunt auctores vetustiores (Linnaeus 1758 - Latreille, 1806). *Acta Soc. Sci. Fenn.* 15: 1-73 (part I); 74-458 (part II).
- REUTER, O. M. 1908. Anthocoridae novae descriptae. *Öfv. Finsk. Vet. Soc. Forh.* 51: 1-7.
- RUFFINELLI, A & A. A. PIRÁN 1959. Anthocoridae. Hemipteros Heteropteros del Uruguay. *Fac. Agron. Montevideo.* 51: 41.
- SAY, T. 1832. Description of new species of heteropterous Hemiptera of North America. New Harmony, Indiana, 1-39. (Fitch reprint, 1858: 755-812).
- SCHILLING, P. S. 1834. Eine neue *Cimex*-Art, *Cimex domestica*. Isis von Oken (ed.): 738-739.
- SCHUH, R. T. 1986. The influence of cladistics on Heteropteran classification. *Annu. Rev. Entomol.* 31: 67-93.
- SCHUH, R. T. & P. STYS, 1991. Phylogenetic analysis of Cimicomorphan family relationships (Heteroptera). *J. New York Entomol. Soc.* 99(3): 298-350.
- SCHUMACHER, F. 1922. Übersehene Hemipteren-Gattungen. *Deutsche Ent. Zeits.* 1922: 337-338.

- SIGNORET, V. 1863. Revision des Hémiptères du Chili. *Ann. Soc. ent. France*. sér. 4, 3: 541-588.
- STÅL, C. 1860. Bidrag till Rio de Janeiro-traktens Hemipter-fauna, 1. *Kung. Sv. Vet. Handl.* (N.F.) 2(7): 1-84.
- Stål, C. 1873. Enumeratio Hemipterorum. 3. *Kung. Sv. Vet. Handl.* (N.F.) 11(2): 1-163.
- STYS, P. 1975. Suprageneric nomenclature of Anthocoridae (Heteroptera). *Acta Univ. Carolinae (Biologica)* 4: 159-162.
- UHLER, P. R. 1894. On the Hemiptera-Heteroptera of the Island of Grenada, West Indies. *Proc. Zool. Soc. London* 1893: 167-224.
- VAN DUZEE, E. P. 1907. Family Anthocoridae. Notes on Jamaican Hemiptera. *Bull. Buffalo Soc. Nat. Sci.* 8(5): 26-27.
- VAN DUZEE, E. P. 1916. Check list of the Hemiptera (excepting the Aphididae, Aleurodidae and Coccidae) of America North of Mexico. New York Entomological Society, New York, I-XI, 1-111.
- VAN DUZEE, E. P. 1917. Catalogue of the Hemiptera of America North of Mexico (excepting the Aphididae, Coccidae and Aleurodidae). *Univ. Calif. Publ. (Technical bull.)* 2(I-XIV): 1-902.
- VAN DUZEE, E. P. 1921. Characters of eight new species of North American Anthocoridae or flower bugs. *Proc. California Acad. Sci.* (4 s) 11(12): 137-144.
- WALKER, F. 1872. Catalogue of the specimens of Hemiptera Heteroptera in the collection of the British Museum. British Museum (Natural History), London, 5: 1-202.
- WESTWOOD, J. O. 1838-1840. An introduction to the modern classification of insects. Synopsis of the genera of British insects (Appended to vol 2): 1-158 (1838: 1-48, 1839: 49-80, 1840: 81-154). Longman ed., London, 81-154.
- WOLFF, J. F. 1804. Icones cimicum descriptionibus illustratae. Palm, Erlangae, 4: 127-166.
- WOLFF, J. F. 1811. Icones cimicum descriptionibus illustratae. Palm, Erlangae, 5 (I- VIII): 167-208.
- ZACHER, F. 1923. Wanzen im Auslandsgetreide. *Arb. Biol. Reich. Land und For.* 12: 236-242.
- ZETTERSTEDT, J. W. 1838. Ordo III. Hemiptera. In: *Insecta Lapponica descripta*. Lipsiae, 257-314.

Recibido: 20-X-1998
 Aceptado: 2-XI-2001

 INDEX

aequinoctialis Popp. 32	Eulasiocolpus 34, 35	Opisthyselus 39
afer Reut. 30	Euryale Herr. 38	ORIINI 37
aglaia Dr. & Herr. 35	Eusolenophora 28	Orius 37
albiger Reut. 36		
albonotatus Champ. 30	flaviceps Popp. 38	pallescens Reut. 34
albovittata Champ. 36	flavicornis Reut. 34	pallidulus Reut. 28
alcides Herr. 37	flavipes Reut. 30	pallidus Popp. 38
Alofa 31	flavus Popp. 32	pallidus Reut. 39
Amphiareus 31	florentiae Herr. 38	Paratriphleps 39
antennatus Kelt. 36	floridana Blatch. 33	parvulus Blanch. 38
antevolens B.-W. 36	foveicollis Champ. 26, 27	pele Herr. 38
ANTHOCORIDAE 27	fraterculus V. Duz. 32	perpunctatus Reut. 38
ANTHOCORIDEA 27	fraternus Uhl. 31	Physopleurella 33
ANTHOCORINAE 36	fulvescens Walk. 31	picturatus Reut. 34
ANTHOCORINI 36	fulvipennis Reut. 36	pictus Uhl. 34
Anthocoris 27, 36	fuscula Reut. 27	Piezostethus 30
armatus Stål 36	fuscus Reut. 38	<i>pilosa</i> Reut. 29
Arrostelus 30		pilosus Reut. 29
Arrostus 30	galactinus Reut. 31	Plochiocoris 29
ashlocki Herr. 27	galateae Reut. 28	Poronotellus 31
assimilis Reut. 32	gerhardi Blatch. 28	Poronotus 31
Astemmaecoris 29	gracilicornis Popp. 33	Proxyllocoris 30

INDEX

- Asthenidea*** 34
 ater Duf. 33
 aterrimus Champ. 38
 basalis Reut. 27
 bicolor Popp. 31
 bifasciatus Champ. 34
 biguttatus Popp. 29
 bimaculatus Champ. 30
 binotatus Reut. 31
 brasiliensis Cara. 33
 brevicollis Blanch. 37
Buchananiella 31
 cacti Cara. 30, 31
 CALLIODINA 34
Calliodis 34
 campestris F. 29, 30
 canaliculatus Ch. 35
 CARDIASTETHINI 31
Cardiastethus 31, 32
 championi Herr. 38
 ciliatus Champ. 35
 cimicoides Ca. & Us. 29
 clarus B.-W. 34
 colludens B.-W. 27
 coloratus Popp. 34
 comitalis Dr. & Ha. 27
 comptulus Dr. & Ha. 29
 conica Blanch. 37
 constrictus Stål 31
 continua B.-W. 31
 crassipes Flor 33
 crawfordi Popp. 34
 cubanus Popp. 32
 cursitans Fall. 30
 curvicrus Reut. 34
Dasypterus 32
 denticulatus Champ. 33
 dentipes Champ. 36
 devia Bergr. 31
Dilasia 27
 divisa Champ. 28
 discifer Stål 32
Dolichiella 29
Dolostethus 33
 domesticus Hahn 29, 30
 DUFOURIELLINI 31
 hirtellus Dr. & Har. 28
 insidiosus Say 26, 38
 ixionides Herr. 38
 jasiones Herr. 38
 laevis Champ. 37
 laeviusculus Ch. 39
 LASIOCHILINAE 27
Lasiochiloides 33
Lasiochilus 27, 28
Lasiocolpoides 35
Lasiocolpus 28
 latus Popp. 30
Lepidonannella 35
Lepidophorella 35
 lepidus Stål 38
 lesliae Herr. 38
 limbatellus Stål 32
 longicornis Ch. 29
 luridellus Fieb. 32
 LYCTOCORARIA 29
 LYCTOCORINAE 29
 LYCTOCORINI 29
Lyctocoris 29, 30
Macrotrachelia 36
Macrotracheliella 37
 maculipennis Reut. 34
 marginata Ha. & Dr. 35
 mazda Herr. 35
 megalops Champ. 34, 35
Melanocoris 37
Metriosteles 30
 mexicanus Kelt. 30
 microps Champ. 28
 minor Champ. 29
 mirificus Dr. & Ha. 28
 mitra Dr. & Harr. 35
 mundulus B.-W. 33
 nebulosus Uhl. 34
 nemorum L. 36
Nidicola 35
 nigra Wolff 37
 nigrellus Zett. 36
 nigricornis V. Duz. 37
 nigripes Reut. 36
 pubescens Hy. & Hg. 33
 pulchella Zett. 34
 pumilio Champ. 39
 punctaticollis R. 39
 punctatostriatus R. 34
 punctipennis Champ. 28
 reedi B.-W. 38
 reuteri Champ. 27
 rostralis Popp. 29
 rufipennis Duf. 30
 rufotinctus Champ. 36
 rugicollis Champ. 32
Scolopa 33
Scolopella 33
 SCOLOPINA 33
 SCOLOPINI 33
Scolopocoris 33
Scoloposcelis 33
 signatus Popp. 34
 signoreti Reut. 30
 sinuaticollis Reut. 29
 socialis Dr. & Her. 33
 sodalis B.-W. 31
Solenonotus 35
 sordidus Reut. 31
 spanbergii Reut. 30
 sulcatus Champ. 28
 sulcicollis Reut. 28
 sulcifer Stal 35
 temnostethoides R. 34
 testacea Popp. 28
 testaceus Blanch. 32
 thripiformis Ch. 37
 thyestes Herr. 39
Triphleps 37
 tristicolor B.-W. 39
 tropicalis Champ. 32
 uhleri China 32
 unicolor Popp. 29
 unicolor Reut. 27, 28
 variabilis Uhl. 28
 varicolor Uhl. 28
 variicornis Champ. 36
 variipes Champ. 36



INDEX

Dufouriellus 31, 33**Elatophilus** 36

elegans Blanch. 32

elegans Reut. 29

elegans Uhl. 32

elongata Champ. 37

engys Dr. & Herr. 35

etes Dr. & Herr. 35

nigromarginatus Ch. 35

nigronitens Stål 36, 37

nitida Champ. 37

obovatus Champ. 37

obsoletus Blanch. 36

opaca Popp. 35

opacipennis Champ. 37

ophthalmicus Reut. 32, 33

vicarius Reut. 31

Whiteiella Popp. 29

wygodzinskyi Car. 33

XYLOCORINI 30

Xylocoris 30, 31**Zopherocoris** 36

